

Fluides	Etanchéité statique et dynamique												Seulement étanchéité statique	Mélanges conseillés		
	NBR (ME00XX/YY)	EPDM (ME01XX/YY)	FPM (ME02XX/YY)	SBR (ME04XX/YY)	CR (ME06XX/YY)	HNBR (ME08XX/YY)	AU (ME10XX/YY)	ACM (ME11XX/YY)	IIR (ME13XX/YY)	BR (ME14XX/YY)	CSM (ME16XX/YY)	MVQ (ME03XX/YY)	MFQ (ME5XX/YY)			
Hydrogène (gaz):																
froid	C	S	C	-	C	-	C	-	C	-	S			C	-	ME00XX/YY
chaud	-	S	C	-	S	-	-	-	C	-	S			-	-	ME00XX/YY
Hydrogène sulfuré:																
sec froid	C	C	C	-	C	-	C	-	C	-	C			S	-	ME06XX/YY
sec chaud	C	S	C	-	C	-	C	-	S	-	S			S	-	ME06XX/YY
humide froid	C	C	C	-	C	-	C	-	C	-	C			C	-	ME06XX/YY
humide chaud	-	-	-	-	C	-	-	-	-	-	-			-	-	ME06XX/YY
Hydroxyde d' ammonium	C	S	C	C	N	-	-	-	S	-	S			C	-	ME00XX/YY
Hydroxyde de baryum	C	C	C	C	C	-	-	-	C	-	C			C	-	ME00XX/YY
Hydroxyde de calcium	C	C	C	-	P	-	-	-	C	-	C			C	-	ME00XX/YY
Hydroxyde de magnésium	C	C	C	C	P	-	C	-	C	-	C			C	-	ME00XX/YY
Hydroxyde de sodium																
au 25%	C	C	C	C	P	S	C	-	C	-	P			C	-	ME01XX/YY
au 50%	C	C	S	C	-	S	C	-	C	-	-			C	-	ME01XX/YY
Iode	S	S	C	-	-	C	-	-	-	-	-			P	-	ME02XX/YY
Hypochlorite de sodium	S	S	S	C	-	S	N	-	S	-	P			S	-	ME04XX/YY
Kérosène (JP 1)	C	N	C	N	S	C	-	-	N	-	S			N	-	ME00XX/YY
Lait	C	-	C	C	S	-	-	-	C	-	C			C	-	ME00XX/YY
Lubrifiants synthétiques	C	N	C	-	-	S	-	-	-	-	-			N	-	ME00XX/YY
Méthyléthylcétone	N	C	N	N	N	N	N	-	-	-	N			N	-	ME01XX/YY
Mercure	C	C	C	-	-	C	C	-	-	-	C			C	-	ME00XX/YY
Métaephosphate de sodium	C	C	C	-	-	C	C	-	C	-	C			-	-	ME01XX/YY
Méthane (100 bar)	C	N	C	-	-	C	-	-	-	-	-			N	-	ME00XX/YY
Monoxyde de carbone chaud	C	C	C	-	N	-	C	-	C	-	C			C	-	ME02XX/YY
Naphtaline	-	-	C	-	N	-	C	-	-	-	N			-	-	ME02XX/YY
Nitrate d' ammonium	C	S	-	-	-	-	-	-	C	-	N			-	-	ME00XX/YY
Nitrate de sodium	C	C	C	C	-	-	-	-	C	-	P			-	-	ME00XX/YY
Nitrobenzène	S	C	S	N	N	-	N	-	N	-	P			N	-	ME01XX/YY
Oléum	S	S	C	S	-	-	S	-	S	-	S			S	-	ME02XX/YY
Huiles ATF	C	N	C	N	S	S	C	C	N	C	-			N	-	ME00XX/YY
Huile ASTM:																
type 1	C	N	C	N	C	C	C	C	N	N	-			C	C	ME00XX/YY
type 2	C	N	C	N	S	C	S	C	N	N	-			P	C	ME00XX/YY
type 3	C	N	C	N	N	C	S	C	N	N	-			N	C	ME00XX/YY
type 4	S	N	C	N	N	S	N	S	N	N	-			N	S	ME02XX/YY
Huile combustible	C	-	C	N	C	-	C	-	N	-	C			P	-	ME00XX/YY
Huile de lin	N	N	O	N	O	-	C	-	N	-	C			P	-	ME02XX/YY
Huile de graines de coton	-	-	O	N	O	-	C	-	C	-	C			C	-	ME06XX/YY
Huile de soja	-	-	O	N	O	-	C	-	C	-	C			C	-	ME02XX/YY
Huile freins DOT 4	N	O	N	-	-	-	-	-	-	-	-			P	-	ME01XX/YY
Huile hydraulique	C	O	C	N	C	-	C	-	N	-	C			-	-	ME00XX/YY
Huile lubrifiant avec base de-ester	S	N	C	N	P	S	-	S	N	N	-			N	S	ME02XX/YY
Base pétrol	C	N	C	N	S	C	S	C	N	N	-			N	C	ME00XX/YY
SAE 10, 20, 30, 40, 50	C	N	C	N	S	C	S	C	N	N	-			N	C	ME00XX/YY